Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9314	@ad<"20000901" and (user with (multiple plurality several two) with (devices! phones! terminals! telephones!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:47
L2	2694	@ad<"20000901" and (user with (multiple plurality several two) with (devices! phones! terminals! telephones!)) and ((device terminal user telephone phone) adj (id identification number serial))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:48
L3	4018	@ad<"20000901" and (user with (multiple plurality several two) with (devices! phones! terminals! telephones!)) and ((device terminal user telephone phone) adj3 (id identification number serial))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:48
L4	1878	@ad<"20000901" and ((user subscriber) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!)) and ((device terminal user telephone phone) adj3 (id identification number serial))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:49
L5	369 W1	@ad<"20000901" and ((user subscriber) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!)) and ((terminal device telephone phone) adj3 (ids! identifications! numbers!)) and ((user subscriber) adj3 (identification id number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:53
L6	177	@ad<"20000901" and ((user subscriber) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!)) and ((terminal device telephone phone) adj3 (ids! identifications! numbers!)) and ((user subscriber) adj3 (identification id number)) and ((identif\$7 authenticat\$3 locat\$3) near2 (user subscriber) near2 (identification id number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:54
L7	219	@ad<"20000901" and ((user subscriber) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!)) and ((terminal device telephone phone) adj3 (ids! identifications! numbers!)) and ((user subscriber) adj3 (identification id number)) and ((identif\$7 authenticat\$3 locat\$3) near2 (user subscriber) near2 (terminal device telephone phone identification id number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:57
L8	254	@ad<"20000901" and ((correlat\$3 associat\$3 link\$3 identif\$7 authenticat\$3) near3 (user subscriber) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:59
L9	229	@ad<"20000901" and ((correlat\$3 associat\$3 link\$3 identif\$7 authenticat\$3) near3 (user! subscriber!) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:01
L10	0	@ad<"20000901" and ((correlat\$3 associat\$3 link\$3 identif\$7 authenticat\$3) near4 (each adj (user! subscriber!)) near4 (multiple plurality several two) near4 (devices! phones! terminals! telephones!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:59
L11	0	@ad<"20000901" and ((correlat\$3 associat\$3 link\$3 identif\$7 authenticat\$3) with (each adj (user! subscriber!)) with (multiple plurality several two) with (devices! phones! terminals! telephones!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:00
L12	0	@ad<"20000901" and ((correlat\$3 associat\$3 link\$3 identif\$7 authenticat\$3) with (each adj (user! subscriber!)) with (multiple plurality several two) with (devices! phones! terminals! telephones!)) and ((device phones terminals telephones) near2 (id identification serial number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:00
L14	(185)	@ad<"20000901" and ((correlat\$3 associat\$3 link\$3 identif\$7 authenticat\$3) near3 (user! subscriber!) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!)) and ((device phones terminals telephones) with (id identification serial number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:01

L15	Vwl (151)	@ad<"20000901" and ((correlat\$3 associat\$3 link\$3 identif\$7 authenticat\$3) near3 (user! subscriber!) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!)) and ((device phones terminals telephones) near2 (id identification serial number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:03
L16	71	@ad<"20000901" and ((correlat\$3 associat\$3 link\$3 identif\$7 authenticat\$3) near3 (user! subscriber!) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!)) and ((device phones terminals telephones) near2 (id identification serial))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:05
L17	( 66	had<"20000901" and ((correlat\$3 associat\$3 link\$3 identif\$7 authenticat\$3) near3 (user! subscriber!) near3 (multiple plurality several two) near3 (devices! phones! terminals! telephones!)) and ((device phones terminals telephones) near2 (id identification (serial adj number)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:20
L18	35 (45) + 2001(	@ad<"20000901" and (access\$3 with ((user subscriber personal) adj (information data))) same ((phone telephone device terminal) adj (id identification))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:24
L19	347	@ad<"20000901" and (account with (multiple plurality) with (devices! terminals! phones! telephones!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:25
L20	15 (5 1+ 1)	@ad<"20000901" and (((one single) adj account) with (multiple plurality) with (devices! terminals! phones! telephones!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:25
L21	w"(('5	@ad<"20000901" and (((each one single) adj account) with (multiple plurality) with (devices! terminals! phones! telephones!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:35
L22	692	@ad<"20000901" and (associat\$3 near3 (user! subscriber! account!) near3 (devices! phones! telephones! terminals!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:36
L23	92	@ad<"20000901" and (associat\$3 near3 (user! subscriber! account!) near3 (multiple plurality) near3 (devices! phones! telephones! terminals!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:37
L24	mic 30	@ad<"20000901" and (associat\$3 near3 (single one each) near3 (user! subscriber! account!) near3 (multiple plurality) near3 (devices! phones! telephones! terminals!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:44
L25	54	@ad<"20000901" and (((single one each) near2 (user! subscriber! account!)) with associat\$3 with ((multiple plurality many) near2 (devices! phones! telephones! terminals!)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:46
L26	38	@ad<"20000901" and (((single one each) near2 (user! subscriber! account!)) with associat\$3 with ((multiple plurality many) near2 (devices! phones! telephones! terminals!))) not 124	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 10:46
L29	2610	709/229.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:37
L30	1143	713/168.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:39
L31	273	713/169.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:39

L32	379	"707".clas. and "713".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:37
L33 2	129	705/56.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:38
L34	134	726/29.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:38
L35	219	726/7.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:38
L36	(m) (4)	(726/7.ccls. 726/29.ccls.) and 705/56.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:39
L37	4359	709/229.cds. 713/168.cds. 713/169.cds. 726/7.cds. 726/29. cds. 705/56.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:40
L38	scanned 119	(709/229.ccls. 713/168.ccls. 713/169.ccls. 726/7.ccls. 726/29. ccls. 705/56.ccls.) and @ad<"20000901" and ((telephone phone device terminal) adj (id identification (serial adj number)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:40
L39	12 (4)	(709/229.ccls. 713/168.ccls. 713/169.ccls. 726/7.ccls. 726/29. ccls. 705/56.ccls.) and @ad<"20000901" and ((telephone phone device terminal) adj (id identification (serial adj number))) and ((one single) adj account)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 13:41
S2	W1 (65)	@ad<"20000901" and (user adj id) same (device adj id)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/28 09:46